

Computer programming

Iteration. Side effects

Marius Minea

marius@cs.upt.ro

20 October 2015

Assignment operators

We've used the simple assignment: *lvalue = expression*

lvalue: variable; also: array element; pointer dereference

Compound assignment operators: += -= *= /= %=

x += expr is a shorthand for x = x + expr

see later: also bitwise assignment operators >> << & ^ |

use them: shorter, but also makes intent of transformation clearer

Increment/decrement operators prefix/postfix: ++ --

++i increments i, expression value is value *after* assignment

i++ increments i, expression value is value *before* assignment

both have same *side effect* (assignment) but different *value*

```
int x=2, y, z; y = x++; /* y=2,x=3 */; z = ++x; // x=4,z=4
```

Side effects and sequence points

The C standard defines *sequence points*, which define a *partial order* between evaluations

i.e. an order is specified for some pairs, not for others

All side effects must complete before crossing a sequence point.

Examples of sequence points are (Annex C)

- between evaluating the function designator (function expression) and arguments, and the actual call
- between evaluating first and second arguments for `&&`, `||`, `,`
- between evaluating the first operand in `? :` and the second/third

If a side effect on a scalar object is unsequenced relative to either a different side effect on the same scalar object or a value computation using the value of the same scalar object, the behavior is undefined. If there are multiple allowable orderings of the subexpressions of an expression, the behavior is undefined if such an unsequenced side effect occurs in any of the orderings.

C standard, 6.5 Expressions

Thus, `i = i++` or `a[i] = i++` are *undefined!*

Caution with multiple side effects!

Even when order of side effects is well defined, use with caution!

DON'T write: ~~return i++;~~

assignment to `i` is useless, since the function returns
obscures intent: should it be `return i;` or `return i+1;` ?

DON'T: ~~`c = toupper(c); return c;`~~ DO: `return toupper(c);`

DON'T read multiple characters in an expression:

```
if ((c = getchar()) == '*' && ((c2 = getchar()) == '/'))
```

if first comparison fails, second char is not read

⇒ hard to reason about program behavior

The break statement

Exits the *immediately enclosing* switch or loop statement

Used if we don't want to continue the remaining processing

Usually: `if (condition) break;`

```
#include <ctype.h>
#include <stdio.h>
int main(void) {           // count words in input
    unsigned nrw = 0;
    while (1) {           // infinite loop, exit with break
        int c;
        while (isspace(c = getchar())); // consume spaces
        if (c == EOF) break;           // done
        nrw = nrw + 1;                 // else: start of word
        while (!isspace(c = getchar()) && c != EOF); // word
    }
    printf("%u\n", nrw);
    return 0;
}
```

The for statement

```
for ( init-clause ; test-expr ; update-expr ) init-clause;  
    statement                                while ( test-expr ) {  
                                                statement  
                                                update-expr;  
                                                }
```

is equivalent* with:

* except: `continue` statement, see later

Any of the 3 parts in (...) may be missing, but semicolons stay
If *test-expr* is absent, it is considered *true* (infinite loop)

Before C99: *init* part could only be an *expression*, e.g. `i = 0`

Since C99: *init-clause* can also be a *declaration*, e.g. `int i = 0`
scope of declared identifiers is loop body only

⇒ **USE** loop scope for counters, if they are not needed later
(scope of identifiers should only be as much as needed)

WARNING! The semicolon `;` is the *empty statement*
DO NOT use after closing `)` of `for` unless for empty body!

Counting with for loops

```
#include <stdio.h>
int main(void)
{
    unsigned n = 5;
    while (n--) // from n-1 to 0: n-- != 0, postdecrement
        printf("loop 1: n = %d\n", n);
    n = 5;      // reinitialize after countdown to 0
    for (int i = 0; i < n; ++i) // from 0 to n-1
        printf("loop 2: counter %d\n", i);
    for (int i = 1; i <= n; ++i) // from 1 to n
        printf("loop 3: counter %d\n", i);
    for (int i = n; i > 0; --i) // from n to 1
        printf("loop 4: counter %d\n", i);
    for (int i = n; i--;)      // from n-1 to 0, postdecr.
        printf("loop 5: counter %d\n", i);
    return 0;
}
```

Counting with for loops

If direction does not matter, this is shortest:

```
for (int i = n; i--;) )
```

also easier to compare to zero

Warning: test expression is computed *every* time

⇒ *avoid needless computation*, e.g.

```
for (int i = 0; i < strlen(s); ++i)
```

(if lucky, compiler may optimize for you, but not always)

If needed, precompute upper bound:

```
for (int i = 0, len = strlen(s); i < len; ++i)
```

Example: rewrite, starting every word with uppercase

```
#include <ctype.h>
#include <stdio.h>
int main(void) {
    int c;
    while((c = getchar()) != EOF) {
        if (!isspace(c)) {           // first non-space
            putchar(toupper(c));    // print uppercase if letter
            while ((c = getchar()) != EOF) { // still word?
                putchar(c);        // print even if space
                if (isspace(c)) break; // but then exit
            }
        } else putchar(c);
    }
    return 0;
}
```

The continue statement

jumps to the *end of the loop body* in a while, do or for loop
i.e. to *update expression* in for and to *test* in do or while

```
void printfact(unsigned n) { // print prime factors of n
    for (unsigned d = 2; d*d <= n; d += 1 + d % 2) {
        if (n % d != 0) continue; // not divisible; next d
        unsigned exp = 1;
        while ((n /= d) % d == 0) ++exp;
        printf ("%u", d); // write current factor
        if (exp > 1) printf ("^%u", exp); // write exponent
        if (n > 1) putchar('*'); else return;
    }
    printf ("%u", n); // 0, 1 or remaining prime
}
```

Use **continue** sparingly (appears much less often than **break**)
can make code clearer, if decision to skip is early, and loop is long
otherwise, a simple if may be cleaner/clearer.

The goto statement

Syntax: `goto somelabelname ;`

Jumps to statement with given label, only inside same function.

Any statement can be labeled with *somelabelname* :

Discouraged (unstructured code); ok to jump out of several loops.

```
#include <ctype.h>
#include <stdio.h>
int main(void)          // count chars, words, lines
{
    unsigned nc = 0, nw = 0, nl = 0;
    for (int c; (c = getchar()) != EOF; ++nc) {
        if (!isspace(c)) // word start
            for (++nc, ++nw; !isspace(c = getchar()); ++nc)
                if (c == EOF) goto outloop; // exit both loops
        if (c == '\n') ++nl; // c isspace here; ++nc in for
    }
    outloop: printf("%u lines, %u words, %u chars\n", nl, nw, nc);
    return 0;
}
```

The switch statement: example

Used for multiple branches depending on an *integer value* can be clearer/more efficient than a multiple if ... else

```
#include <stdio.h>
int main(void)
{
    int a = 3, b = 4, c, r;
    switch (c = getchar()) {
        case '+': r = a + b; break; // end switch
        case '-': r = a - b; break;
        case 'x': c = '*'; // continue onto next branch
        case '*': r = a * b; break;
        case '/': r = a / b; break;
        default: fputs("Unknown operator\n", stderr);
                return 1;
    }
    printf("Result: %d %c %d = %d\n", a, c, b, r);
    return 0;
}
```

The switch statement

Syntax: `switch (integer-expression) statement`

`statement` is a *block* with multiple statements, some *labeled*:

`case value: statement`

The integer expression is evaluated.

If the statement has a `case` label with that value, jump to it

Otherwise, if there is a `default`, label, jump to it

Else, do nothing (goes on to next statement after `switch`)

A statement may have *several* labels (flow jumps to same code)

`case val1: case val2: statement`

Normal statement sequencing applies: flow does *not stop* at the next case label (it's just a label)

⇒ to exit `switch` statement, use `break`; statement (*don't forget!*)

switch vs. if ... else

A multiple `if ... else` statement will do *multiple* tests
(until one succeeds)

A `switch` statement may be implemented using a *jump table*:
the expression is evaluated and used as index in a table of addresses
⇒ can be more efficient if range of possible values is limited
(also: compiler may limit range of values to 1023, cf. standard)

More importantly: a `switch` may be *easier to read*

But: *be careful* not to forget `break` where needed!

Writing and testing loops

We should consider:

- what variable changes in each iteration ?

- what is the loop continuation/stopping condition ?

Don't forget update of variable that controls loop
(otherwise will loop forever)

What do we know on exiting the loop ? The loop condition is *false*.
we consider this as we reason further about the program

We inspect/check/test the program:

- mentally, running it “pencil and paper” on simple cases

- then with increasingly complex tests, including corner cases

Example: Parsing expressions

Expression *syntax*: rigorously defined by a *grammar*

frequent notation: Backus-Naur form (BNF)

Writing code: one function for each defined notion (*nonterminal*)

Prefix expressions (no parentheses/precedence needed)

$expr ::= number \mid operator\ expr\ expr$

Postfix expressions

$expr ::= number \mid expr\ expr\ operator$

Left recursive \Rightarrow both variants start alike, can't decide choice

\Rightarrow rewrite grammar:

$expr ::= number\ restexpr$

$restexpr ::= \epsilon \mid expr\ operator\ restexpr$

ϵ is usual notation for empty string

Parsing usual (infix) expressions

Simplest attempt: does not deal with precedence or parantheses:

$$\text{expr} ::= \text{number} \mid \text{expr operator expr}$$

⇒ distinguish additive/multiplicative expressions/operators

$$\text{expr} ::= \text{term} \mid \text{expr} + \text{term} \mid \text{expr} - \text{term}$$
$$\text{term} ::= \text{factor} \mid \text{term} * \text{factor} \mid \text{term} / \text{factor}$$
$$\text{factor} ::= \text{number} \mid (\text{expr})$$

which variant to choose? *expr* or *term*? ⇒ rewrite:

$$\text{expr} ::= \text{term restexpr}$$
$$\text{restexpr} ::= \epsilon \mid + \text{term restexpr} \mid - \text{term restexpr}$$
$$\text{term} ::= \text{factor restterm}$$
$$\text{restterm} ::= \epsilon \mid * \text{factor restterm} \mid / \text{factor restterm}$$
$$\text{factor} ::= \text{number} \mid (\text{expr})$$

Writing code from recursive definitions

One *function* for each *nonterminal*

Function structure determined by computation (*data flow*)

$expr ::= term \ restexpr$

$restexpr$ needs previous term \Rightarrow gets it as parameter

```
int expr(void) { return restexpr(term()); }
```

$restexpr ::= \epsilon \mid + \ term \ restexpr \mid - \ term \ restexpr$

$restexpr$ is right-recursive write as *tail-recursive* function

```
int restexpr(int t1) {  
    int c = getchar();  
    if (c == '+') return restexpr(t1 + term()); else ...  
}
```

or rewrite as loop within $expr()$, *accumulate* expression value

```
int expr(void) {  
    int c, e = term();  
    for (;;) { // use break; to stop  
        if ((c = getchar()) == '+') e += term; else ...  
    }  
}
```